HyFlex®

ADVANCED MECHANICAL PROTECTION

48-100

Progettati per applicazioni leggere che richiedono buoni livelli di comfort e di resistenza all'abrasione

Precedentemente noto come: Sensilite®

Multiuso | Mansioni leggere

Guanti bianchi multiuso in poliuretano, progettati per una manipolazione confortevole e leggera.

- **Durata migliorata:** I guanti da lavoro industriali HyFlex® 48-100 possiedono livelli di resistenza all'abrasione conformi alle norme ANSI/EN
- **Destrezza aumentata:** La fodera in nylon, sottile e flessibile, consente un utilizzo quotidiano senza sforzi e con grande destrezza.
- **Colore bianco:** la tonalità più chiara di questi guanti HyFlex® garantisce la qualità del processo e aiuta a evitare la contaminazione incrociata.
- **Tattilità ottimizzata:** Il rivestimento in PU del palmo dei guanti HyFlex® 48-100 DPI garantisce un'elevata sensibilità tattile, per una manipolazione di precisione in condizioni asciutte o leggermente oleose.
- **Autentica versatilità:** Leggeri, resistenti e tattili, i guanti industriali HyFlex® 48-100 sono utilizzati per una moltitudine di applicazioni diverse.



Industrie

- Industria automobilistica
- Macchinari e attrezzature

Applicazioni

- Assemblaggio di telai e rifilatura della carrozzeria
- Supporto e manutenzione della linea di produzione
- Riparazione e manutenzione attrezzature
- Montaggio e smontaggio attrezzature
- Carico e scarico di scatole o parti grezze
- Prelevare parti e accessori

HyFlex®

ADVANCED MECHANICAL PROTECTION

48-100

Progettati per applicazioni leggere che richiedono buoni livelli di comfort e di resistenza all'abrasione

Precedentemente noto come: Sensilite®

Caratteristiche chiave

- **Rivestimento in PU per il palmo della mano:** resistenza all'abrasione a norma ANSI/EN
- **Fodera in nylon sottile:** Comfort di destrezza per applicazioni leggere
- **Colore bianco:** guanti DPI sicuri per i processi che evitano la contaminazione incrociata

Acceleranti chimici di vulcanizzazione

- Proteine della gomma naturale

Solo un numero estremamente ridotto di utilizzatori potrebbe essere sensibile a questo(i) ingrediente(i) e, di conseguenza, sviluppare irritazioni e/o reazioni allergiche da contatto.

Standard riguardanti le prestazioni & Conformità normativa

EN388: 2016

4131A

Specifiche

MARCHIO | MODELLO	DESCRIZIONE	Numero di aghi	TAGLIA	LUNGHEZZA	COLORE RIVESTIMENTO	CONFEZIONAMENTO
HyFlex® 48-100	**Finitura**: Palmo rivestito **Materiale del rivestimento**: Poliuretano **Materiale della fodera**: Nylon **Modello di polso**: Polso a maglia	13	6, 7	210 - 265 mm/ 8,27-10,43 pollici	Bianco	12 paia/busta, 12 buste/scatola

Per maggiori informazioni, visitate il nostro sito www.ansell.com, oppure chiamateci al numero

Europa, Medio Oriente ed Africa
Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region
Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
+1 800 800 0444
F: +1 800 800 0445

Australia
Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Regioni dell'Asia Pacifico
Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

America Latina & Caraibi
Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II.
Suites 1304, 1305 y 1306.
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Messico
T: +52 442 248 1544 / 248 3133

Canada
Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® e ™ sono marchi commerciali di proprietà di Ansell Limited o di una delle società affiliate. Brevettati negli USA e in attesa di brevetti negli USA e fuori dagli USA: www.ansell.com/patentmarking © 2024 Ansell Limited. Tutti i diritti riservati.

Né il presente documento, né eventuali altre dichiarazioni formulate da o per conto di Ansell devono essere interpretati come garanzia di commerciabilità o idoneità per un determinato utilizzo dei prodotti Ansell. Ansell non assume alcuna responsabilità riguardo a idoneità o adeguatezza nella scelta dei guanti per un uso specifico da parte dell'utente finale.

HyFlex®

ADVANCED MECHANICAL PROTECTION

48-100

Designed for light applications that require good levels of comfort and abrasion resistance

Previously known as: Sensilite®

Multi Purpose | Light Duty

White multi-purpose polyurethane gloves, designed with comfortable light duty handling in mind

- **Improved durability:** HyFlex® 48-100 industrial working gloves possess ANSI/EN-compliant abrasion resistance levels
- **Augmented dexterity:** Their thin, flexible nylon liner makes for dexterous, strain-free everyday use
- **White color:** The lighter tone of these HyFlex® gloves ensures process quality and helps avoid cross contamination
- **Optimized tactility:** HyFlex® 48-100 PPE gloves' palm-dipped PU coating results in high levels of tactile sensitivity, for precision handling in dry or slightly oily conditions
- **Genuine versatility:** Light, resilient and tactile, HyFlex® 48-100 industrial gloves are used for a multitude of diverse applications



Industries

- Automotive
- Machinery and Equipment

Applications

- Chassis assembly, body trimming
- Production line support & maintenance
- Equipment repair & maintenance
- Assembly and disassembly of equipment
- Loading and unloading rough parts or boxes
- Picking parts and accessories

HyFlex®

ADVANCED MECHANICAL PROTECTION

48-100

Designed for light applications that require good levels of comfort and abrasion resistance

Previously known as: Sensilite®

Key Features

- **Palm-dipped PU coating:** ANSI/EN-compliant abrasion resistance
- **Thin nylon liner:** Dexterous comfort for light-duty applications
- **White color:** Process safe PPE gloves that avoid cross contamination

Vulcanization Chemical Accelerators

- Natural rubber proteins

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

Performance Standards & Regulatory Compliance

EN388: 2016

4131A

Specifications

BRAND | STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
HyFlex® 48-100	**Finishing**: Palm Coated **Coating Material**: Polyurethane **Liner Material**: Nylon **Cuff Style**: Knitwrist	13	6, 7	210 - 265 mm/ 8.27-10.43 inches	White	12 pairs/bag, 12 bags/carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region
Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 900
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Australia
Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region
Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II.
Suites 1304, 1305 y 1306.
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada
Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.